





Digital infrastructure / Shelters

Priess Shelters

Copyright ©2020 | October



Description

Priess Shelters consists of modular built sandwich-panels. There are 28 standard sizes based on standard modules. Delivery on-site according to the 'Plug & Play' principle is possible. Priess Shelters can be used for all kinds of technical installations.

Materials

Priess Shelters sandwichpanels contain 100mm mineral wool. The sandwich panels are flame retardant and have a U value of 0.40 W / m²K.

Priess Shelters are equipped with high quality steel doors. If required additional burglary protection / noise damping or fire retardant doors, can easily be adapted.

Priess Shelters are delivered either on concrete foundation with optional openings or on steel base.

Color

The standard color is RAL 7016. Priess Shelters can alternatively be painted in another color based on the RAL color chart.

Additional options

Priess Shelters are also available as customized solutions, therefore Priess A/S can offer a wide range of options such as:

- Electrical installation of light, heat, cooling, electrical outlets, racks, alarm, etc.
- Gutters & windows
- Exterior facing with e.g. wood
- EDB floor, tiling/linoleum/epoxy etc.
- Priess Shelters can be painted in exactly the RAL color you want
- Can contain cloakroom, toilet etc.
- Mounting with cranes



Digital infrastructure / Shelters

Standard measures – RAL 7016

Copyright ©2020 | October

Item no.	Shelter cabin with gable roof	External dimensions in mm			Foundation item no.
		L	W	H	
72200000	Shelters cabin 2400×2270	2400	2270	2400	72300000
72200001	Shelters cabin 3200×2270	3200	2270	2400	72300002
72200003	Shelters cabin 4000×2270	4000	2270	2400	72300004
72200005	Shelters cabin 4800×2270	4800	2270	2400	72300006
72200007	Shelters cabin 5600×2270	5600	2270	2400	72300008
72200009	Shelters cabin 6400×2270	6400	2270	2400	72300010
72200011	Shelters cabin 7200×2270	7200	2270	2400	72300012
72200013	Shelters cabin 2400×2550	2400	2550	2400	72300012
72200015	Shelters cabin 3200×2550	3200	2550	2400	72300015
72200017	Shelters cabin 4000×2550	4000	2550	2400	72300018
72200019	Shelters cabin 4800×2550	4800	2550	2400	72300020
72200021	Shelters cabin 5600×2550	5600	2550	2400	72300022
72200023	Shelters cabin 6400×2550	6400	2550	2400	72300024
72200025	Shelters cabin 7200×2550	7200	2550	2400	72300026

To be continued on the next page...



Digital infrastructure / Shelters

Standard measures – RAL 7016

... continued from previous page

Item no.	Shelter cabin with gable roof	External dimensions in mm			Foundation item no.
		L	W	H	
72200027	Shelters cabin 2400×3110	2400	3110	2400	72300028
72200029	Shelters cabin 3200×3110	3200	3110	2400	72300030
72200031	Shelters cabin 4000×3110	4000	3110	2400	72300032
72200033	Shelters cabin 4800×3110	4800	3110	2400	72300034
72200035	Shelters cabin 5600×3110	5600	3110	2400	72300035
72200037	Shelters cabin 6400×3110	6400	3110	2400	72300038
72200039	Shelters cabin 7200×3110	7200	3110	2400	72300040
72200041	Shelters cabin 2400×3390	2400	3390	2400	72300042
72200043	Shelters cabin 3200×3390	3200	3390	2400	72300044
72200045	Shelters cabin 4000×3390	4000	3390	2400	72300046
72200047	Shelters cabin 4800×3390	4800	3390	2400	72300048
72200049	Shelters cabin 5600×3390	5600	3390	2400	72300050
72200051	Shelters cabin 6400×3390	6400	3390	2400	72300052
72200053	Shelters cabin 7200×3390	7200	3390	2400	72300054